

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A292.9
S03FE
COP. 2



United States
Department of
Agriculture

Soil
Conservation
Service

Spokane,
Washington



Water Supply Outlook for Washington

as of MARCH 1, 1985



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

COVER PHOTO: "Snow scene along trail to Mt. Hood test site snow course"

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 510, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	Room 129, 2221 East Northern Lights Blvd., Anchorage, Alaska 99504
Arizona	Room 3008, Federal Building 230 N. First Ave., Phoenix, Arizona 85025
Colorado (N. Mex.)	P.O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th St., Boise, Idaho 83702
Montana	P.O. Box 98, Bozeman, Montana 59715
Nevada	P.O. Box 4850, Reno, Nevada 89505
Oregon	1220 S. W. Third Ave., Portland, Oregon 97204
Utah	4402 Federal Bldg., 125 South State St., Salt Lake City, Utah 84147
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P.O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Snow Surveys Branch, California Department of Water Resources, P.O. Box 388, Sacramento, California 95802 — for British Columbia by the Ministry of the Environment, Water Investigations Branch, Parliament Buildings, Victoria, British Columbia V8V 1X5 — for Yukon Territory by the Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory Y1A 3V1 — and for Alberta, Saskatchewan, and N.W.T. by the Water Survey of Canada, Inland Waters Branch, 110-12 Avenue S.W., Calgary, Alberta T3C 1A6.



WATER SUPPLY OUTLOOK¹² FOR WASHINGTON

and

FEDERAL-STATE-PRIVATE COOPERATIVE SNOW SURVEYS

ISSUED BY

PETER C. MYERS

**Chief
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.**

RELEASED BY

LYNN A. BROWN

**STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE
SPOKANE, WASHINGTON**

FORECASTS BY

**SOIL CONSERVATION SERVICE
WATER SUPPLY FORECASTING STAFF, WNTC
PORTLAND, OREGON**

and


**NATIONAL WEATHER SERVICE
RIVER FORECAST CENTER
PORTLAND, OREGON**

REPORT PREPARED BY

WILLIAM F. WELLER, Hydrologist

JOLA L. MICKELSEN, Secretary

**SOIL CONSERVATION SERVICE
360 U.S. COURTHOUSE
SPOKANE, WASHINGTON 99201**




INDEX to WASHINGTON SNOW COURSES, SOIL MOISTURE STATIONS and PRECIPITATION STORAGE GAGES

NAME	NUMBER	SEC.	TWP.	RANGE	ELEV.	NAME	NUMBER	SEC.	TWP.	RANGE	ELEV.
UPPER COLUMBIA DRAINAGE						LOWER COLUMBIA DRAINAGE					
Pend Oreille River						Asotin Creek					
Boyer Mountain	17A2	7	31N	43E	5250	Spruce Springs	17C4	9	8N	40E	5700
Bunchgrass Meadow	17A1SP	24	37N	44E	5000						
Kettle River						Touchet River					
Summit G. S.	18A7	20	39N	35E	4600	Touchet No. 2	17C5SP	6	7N	40E	5530
Spokane River						Lewis River					
Rugged Ridge	17B02	12	27N	45E	3333	June Lake	22C09SP	26	8N	5E	3200
Colville River						Lone Pine Shelter	21C26SP	8	9N	7E	3800
Bald	17A6	19	36N	42E	3215	Plains of Abraham	22C13SP	35	9N	5E	4400
Stranger Mountain	17A5	26	31N	38E	4990	Spencer Meadow	21C20SP	16	8N	7E	3400
Loge	18A10	6	29N	38E	3370	Surprise Lakes	21C13SP	14	7N	8E	4250
Okanogan River						Cowlitz River					
Mutton Creek No. 1	19A1	30	37N	24E	5700	Coyote Pass	21C6	15	16N	10E	5300
Mutton Creek No. 2	19A4	19	37N	24E	6000	Pigtail Peak	21C33SP	11	13N	11E	5900
Salmon Meadows	19A2SP	33	37N	24E	4500	Potato Hill	21C14SP	36	10N	10E	4500
Methow River						Sheep Canyon	22C10SP	12	8N	4E	4050
Harts Pass	20A5SP	7	37N	18E	6500	Strawberry	22C08SP	9	10N	6E	3280
Chelan Lake Basin						PUGET SOUND DRAINAGE					
Lyman Lake	20A23SP	18	31N	16E	5900	Nisqually River					
Park Creek Ridge	20A12SP	18	34N	16E	4600	Paradise Park (New)	21C35SP	13	15N	8E	5500
Rainy Pass	20A9SP	21	35N	17E	4780	White River					
Mirror Lake	20A3P	30	31N	18E	5600	Connel Pass	21B13SP	30	18N	11E	6000
Entiat River						Green River					
Brief	20B19	34	28N	19E	1600	Airstrip	21B24P	18	20N	11E	1800
Entiat Meadows	20A33a	28	31N	17E	4540	Charley Creek	21B25	27	21N	8E	1200
Entiat River Trail	20A34a	2	29N	17E	3205	Cougar Mountain	21B42SP	21	21N	9E	3200
Fox Camp	20B36a	17	30N	18E	3210	Grass Mountain	21B27	14	20N	8E	2900
Pope Ridge	20B20	22	29N	18E	3340	Grass Mountain No. 2	21B28	12	20N	8E	2100
Pope Ridge Snow Pillow	20B24SP	22	29N	18E	3540	Grass Mountain No. 3	21B29	36	20N	10E	3100
Pugh Ridge	20A32a	34	30N	18E	6725	Lester Creek	21B50	22	20N	8E	4000
Shady Pass	20A37	20	29N	19E	6200	Lynn Lake	21B31	5	19N	11E	4700
Snow Brushy	20A35a	21	30N	17E	3910	Sawmill Ridge	21B10SP	25	21N	11E	3860
Tommy Creek	20B21a	10	28N	18E	4900	Stampede Pass	21B30	18	19N	11E	4100
Wenatchee River						Cedar River					
Berne-Mill Creek (New)	21B41SP	13	26N	14E	3240	City Cabin	21B3	10	21N	10E	2390
Blewett Pass No. 2	20B2SP	35	22N	17E	4270	Mt. Gardner	21B21P	30	22N	10E	3300
Stevens Pass	21B1SP	14	26N	13E	4070	Snoqualmie River					
Trough #2	20B25SP	10	20N	20E	5310	Alpine Meadow	21B48	31	27N	9E	3500
Squilchuck Creek						Olallie Meadows	21B2P	19	22N	11E	3625
Beehive Springs	20B3	12	21N	19E	4400	Olallie Meadows East	21B55SP	20	22N	11E	3700
Stemilt Creek						Skagit River					
Upper Wheeler	20B6	30	21N	20E	5000	Beaver Creek Trail	21A4	35	39N	12E	2200
	20B7SP	30	21N	20E	4400	Beaver Pass	21A1	9	39N	12E	3680
Yakima River						Brown Top	21A2Ba	26	40N	12E	6000
Athlum R. S.	21C11	24	12N	14E	3100	Devils Fork	20A4	34	38N	16E	5900
Big Boulder Creek	21B9SP	35	23N	14E	3200	Freezeout Creek Trail	20A1	14	40N	14E	3500
Bumping Lake	21C8P	23	16N	12E	3450	Freezeout Meadows (New)	20A38	8	40N	16E	5000
Bumping Lake New	21C36	13	16N	12E	3400	Granite Creek	20A06	25	36N	16E	3500
Bumping Ridge	21C38SP	9	15N	12E	4600	Meadows Cabins	20A8	29	36N	14E	1900
Fish Lake	21B4SP	28	24N	14E	3371	New Hazomeen Lake	21A30	19	40N	14E	2800
Green Lake	21C10SP	3	12N	13E	6000	Thunder Basin	20A07	10	35N	14E	4200
Grouse Camp	20B11SP	29	21N	19E	5385						
Lake Cle Elum	21B14M	15	20N	14E	2200						
Morse Lake	21C17SP	6	16N	11E	5400						
Tunnel Avenue	21B8P	13	21N	11E	2450						
White Pass (East Side)	21C28SP	2	13N	11E	4500						

LEGEND
 21A7 Snow Course Only
 21A7a Aerial Marker Only
 21A7b Snow Course And Aerial Marker
 21A7M Snow Course And Soil Moisture Station
 21A7n Snow Course And Soil Moisture Station
 21A7P Snow Course And Precipitation Storage Gage
 21A7SP Precipitation Storage Gage
 21A7P Snow Pillow

OLYMPIC PENINSULA

Dungeness River					
Deer Park	23B4	1	28N	5W	5200
Elwha River					
Hurricane	23B3	36	29N	7W	4500



INDEX to WASHINGTON SNOW COURSES, SOIL MOISTURE STATIONS and PRECIPITATION STORAGE GAGES

NAME	NUMBER	SEC.	TWP.	RANGE	ELEV.	NAME	NUMBER	SEC.	TWP.	RANGE	ELEV.		
UPPER COLUMBIA DRAINAGE						LOWER COLUMBIA DRAINAGE							
Boyer Mountain Bunchgrass Meadow	17A2	7	31N	43E	5250	Spruce Springs	Asotin Creek		17C4	9	8N	40E	5700
							17A1SP	24					
Summit G. S.	18A7	20	39N	35E	4600	Touchet No. 2	Touchet River		17C5SP	6	7N	40E	5530
							18A7	20					
Ragged Ridge	17B02	12	27N	45E	3333	June Lake	Lewis River		22C09SP	26	8N	5E	3200
							17B02	12					
Baird Stranger Mountain Togo	17A6	19	36N	42E	3215	Lone Pine Shelter	21C26SP		8	9N	7E	3800	3800
							17A5	26					
Mullan Creek No. 1	19A1	30	37N	24E	5700	Plains of Abraham	22C1SP		35	9N	5E	4400	4400
							19A2SP	33					
Mullan Creek No. 2	19A4	19	37N	24E	6000	Spencer Meadow	21C20SP		16	8N	7E	3400	3400
							19A4	19					
Solman Meadows	19A2SP	33	37N	24E	4500	Surprise Lakes	21C13SP		14	7N	8E	4250	4250
							19A2SP	33					
Harts Pass	20A5SP	7	37N	18E	6500	Coyuse Pass	Cowlitz River		21C6	15	16N	10E	5300
							20A5SP	7					
Lyman Lake	20A23SP	18	31N	16E	5900	Pigtail Peak	21C33SP		11	13N	11E	5900	5900
							20A23SP	18					
Park Creek Ridge	20A12SP	18	34N	16E	4600	Potato Hill	21C14SP		36	10N	10E	4500	4500
							20A12SP	18					
Rainy Pass	20A9SP	21	35N	17E	4780	Sheep Canyon	22C10SP		12	8N	4E	4050	4050
							20A9SP	21					
Mirror Lake	20A39	30	31N	18E	5600	Strawberry	22C08SP		9	10N	6E	3280	3280
							20A39	30					
Entiat River						PUGET SOUND DRAINAGE							
Brief	20B19	34	28N	19E	1600	Paradise Park (New)	Nisqually River		21C35SP	13	15N	8E	5500
							20B19	34					
Entiat Meadows	20A33a	28	31N	17E	4540	Corral Pass	White River		21B13SP	30	18N	11E	6000
							20A33a	28					
Entiat River Trail	20A34a	2	29N	17E	3325	Airstrip	Green River		21B24P	18	20N	11E	1800
							20A34a	2					
Fox Camp	20A36a	17	30N	18E	6510	Charley Creek	21B25		27	21N	8E	1200	1200
							20A36a	17					
Pope Ridge	20B20	22	29N	18E	3540	Cougar Mountain	21B42SP		21	21N	9E	3200	3200
							20B20	22					
Pope Ridge Snow Pillow	20B24SP	22	29N	18E	3540	Grass Mountain No. 2	21B27		14	20N	8E	2900	2900
							20B24SP	22					
Pugh Ridge	20A32a	34	30N	18E	6725	Grass Mountain No. 3	21B28		12	20N	10E	3100	3100
							20A32a	34					
Shady Pass	20A37	20	29N	19E	6200	Lester Creek	21B29		36	20N	8E	4000	4000
							20A37	20					
Snow Brushy	20A35a	21	30N	17E	3910	Lynn Lake	21B30		22	20N	8E	4000	4000
							20A35a	21					
Tommy Creek	20B21a	10	28N	18E	4900	Sawmill Ridge	21B31		5	19N	11E	4700	4700
							20B21a	10					
Wenatchee River						Twin Camp	21B30		18	19N	11E	4100	4100
Barnes-Mill Creek (New)	21B41SP	13	26N	14E	3240		City Cabin	Cedar River					
						21B41SP		13	26N	14E	3240		
Blewett Pass No. 2	20B25SP	35	22N	17E	4270	Mt. Gardner	21B21P		30	22N	10E	3300	3300
							20B25SP	35					
Stevens Pass	21B1SP	14	26N	13E	4070	Alpine Meadow	Snoqualmie River		21B48	31	27N	9E	3500
							21B1SP	14					
Trough #2	20B25SP	10	20N	20E	5310	Olallie Meadows	21B55SP		20	22N	11E	3700	3700
							20B25SP	10					
Squilchuck Creek						Olallie Meadows East	21B55SP		20	22N	11E	3700	3700
Beehive Springs	20B3	12	21N	19E	4400		City Cabin	21B21P					
						20B3		12	21N	19E	4400		
Stemilt Slide	20B6	30	21N	20E	5000	Mt. Gardner	Snoqualmie River		21B48	31	27N	9E	3500
							20B6	30					
Upper Wheeler	20B7SP	30	21N	20E	4400	Alpine Meadow	21B24P		18	20N	11E	1800	1800
							20B7SP	30					
Ahtenum R. S.	21C11	24	12N	14E	3100	Beaver Creek Trail	21A4		35	39N	12E	2200	2200
							21C11	24					
Big Boulder Creek	21B9SP	35	23N	14E	3200	Beaver Pass	21A1		9	39N	12E	3650	3650
							21B9SP	35					
Bumping Lake	21C8P	23	16N	12E	3450	Brown Top	21A2Ba		26	40N	12E	6000	6000
							21C8P	23					
Bumping Lake New	21C36	13	16N	12E	3400	Devils Fork	20A4		34	38N	16E	5900	5900
							21C36	13					
Bumping Ridge	21C38SP	9	15N	12E	4600	Freezeout Creek Trail	20A1		14	40N	14E	3500	3500
							21C38SP	9					
Fish Lake	21B45SP	28	24N	14E	3371	Freezeout Meadows (New)	20A38		8	40N	16E	5000	5000
							21B45SP	28					
Green Lake	21C10 SP	3	12N	13E	6000	Granite Creek	20A06		25	36N	16E	3500	3500
							21C10 SP	3					
Grouse Camp	20B11 SP	29	21N	19E	5385	Meadows Cabins	20A8		19	40N	14E	2800	2800
							20B11 SP	29					
Lake Cle Elum	21B14M	15	20N	14E	5200	New Hazteen Lake	21A30		10	35N	14E	4200	4200
							21B14M	15					
Morse Lake	21C17 SP	6	16N	11E	2400	Thunder Basin	20A07		10	35N	14E	4200	4200
							21C17 SP	6					
Tunnel Avenue	21B8P	13	21N	11E	2450	Thunder Basin	20A07		10	35N	14E	4200	4200
							21B8P	13					
White Pass (East Side)	21C28SP	2	13N	11E	4500	Thunder Basin	20A07		10	35N	14E	4200	4200
							21C28SP	2					

NAME	NUMBER	SEC.	TWP.	RANGE	ELEV.	NAME	NUMBER	SEC.	TWP.	RANGE	ELEV.		
UPPER COLUMBIA DRAINAGE						LOWER COLUMBIA DRAINAGE							
Boyer Mountain Bunchgrass Meadow	17A2	7	31N	43E	5250	Spruce Springs	Asotin Creek		17C4	9	8N	40E	5700
							17A1SP	24					
Summit G. S.	18A7	20	39N	35E	4600	Touchet No. 2	Touchet River		17C5SP	6	7N	40E	5530
							18A7	20					
Ragged Ridge	17B02	12	27N	45E	3333	June Lake	Lewis River		22C09SP	26	8N	5E	3200
							17B02	12					
Baird Stranger Mountain Togo	17A6	19	36N	42E	3215	Lone Pine Shelter	21C26SP		8	9N	7E	3800	3800
							17A5	26					
Mullan Creek No. 1	19A1	30	37N	24E	5700	Plains of Abraham	22C1SP		35	9N	5E	4400	4400
							19A2SP	33					
Mullan Creek No. 2	19A4	19	37N	24E	6000	Spencer Meadow	21C20SP		16	8N	7E	3400	3400
							19A4	19					
Solman Meadows	19A2SP	33	37N	24E	4500	Surprise Lakes	21C13SP		14	7N	8E	4250	4250
							19A2SP	33					
Harts Pass	20A5SP	7	37N	18E	6500	Coyuse Pass	Cowlitz River		21C6	15	16N	10E	5300
							20A5SP	7					
Lyman Lake	20A23SP	18	31N	16E	5900	Pigtail Peak	21C33SP		11	13N	11E	5900	5900
							20A23SP	18					
Park Creek Ridge	20A12SP	18	34N	16E	4600	Potato Hill	21C14SP		36	10N	10E	4500	4500
							20A12SP	18					
Rainy Pass	20A9SP	21	35N	17E	4780	Sheep Canyon	22C10SP		12	8N	4E	4050	4050
							20A9SP	21					
Mirror Lake	20A39	30	31N	18E	5600	Strawberry	22C08SP		9	10N	6E	3280	3280
							20A39	30					
Entiat River						PUGET SOUND DRAINAGE							
Brief	20B19	34	28N	19E	1600	Paradise Park (New)	Nisqually River		21C35SP	13	15N	8E	5500
							20B19	34					
Entiat Meadows	20A33a	28	31N	17E	4540	Corral Pass	White River		21B13SP	30	18N	11E	6000
							20A33a	28					
Entiat River Trail	20A34a	2	29N	17E	3325	Airstrip	Green River		21B24P	18	20N	11E	1800
							20A34a	2					
Fox Camp	20A36a	17	30N	18E	6510	Charley Creek	21B25		27	21N	8E	1200	1200
							20A36a	17					
Pope Ridge	20B20	22	29N	18E	3540	Cougar Mountain	21B42SP		21	21N	9E	3200	3200
							20B20	22					
Pope Ridge Snow Pillow	20B24SP	22	29N	18E	3540	Grass Mountain No. 2	21B27		14	20N	8E	2900	2900
							20B24SP	22					
Pugh Ridge	20A32a	34	30N	18E	6725	Grass Mountain No. 3	21B28		12	20N	10E	3100	

WATER SUPPLY OUTLOOK

State of Washington

MARCH 1, 1985

XX

IMPORTANT NOTICE

The President's 1986 budget request to Congress calls for termination of the Snow Survey and Water Forecast activity within the U.S. Soil Conservation Service for fiscal policy reasons. If the President's budget request is enacted by Congress the Snow Survey Program will be eliminated by the end of fiscal year 1986. This action would conclude over 50 years of federally coordinated snow survey effort in the Western U. S.

XX

There are only minor changes in the water supply forecasts for Washington for March. Supplies are expected to be average over the entire state. The forecasts vary from 92% on Icicle Creek to 115% of normal runoff on the Spokane River. The mountain snowpack was generally near average over most of Washington. Precipitation for February continued to be below average. Reservoir storage has not changed materially over the February 1st report. Below average temperatures have held streamflows on state streams to below normal.

COVER

March snow cover changed only slightly from those measured during the February 1st period. Snow cover is still showing slightly below average for the lower elevations in the Cascades. The higher elevation snow courses in the Cascades and the snow courses in the eastern portion of the state are near average to slightly above average. Two drainage areas in the state are above average, the Blue Mountain and the Green River drainages both at 130%. Ahtanun Creek and the Entiat River are below average with snow cover of 76% and 64%.

PRECIPITATION

February precipitation was below average over the state, with Northeastern Washington at 85%, Southeastern Washington at 85%, the Southwest Cascade at 91%. The Okanogan area at 64% of normal had the lowest amount of precipitation with 0.62 inches for February. The west side of the Cascades was also below average with the north having 81% and the south 70%.

Total winter precipitation (November-February period) has been below average over the entire state. The Puget Sound area has received 42.28 inches of winter precip, 78% of normal. The Yakima area received 20.36 inches, 76% of normal. Precipitation in the Northeastern area was 100% of normal.

RESERVOIR STORAGE

Stored water supplies are fair to good within the irrigated sections of the state. Below normal temperatures have kept area streamflows very low thus making power companies draw from reservoir storage for winter demand. In the Yakima, irrigation reservoirs are storing 505,000 acre feet of water compared to the March 1 average of 702,500, or 72% of normal. The reservoirs in the Okanogan Irrigation District are near capacity. Lake Chelan at 159.900 acre-feet, is 68% of normal.

STREAMFLOW

February continued much like January. Below normal temperatures have retarded the snowmelt keeping streamflows low during the month over most of the state. Temperatures have been much below average with Omak 8 degrees below average, Yakima -7, Spokane -8, Walla Walla -6, and Seattle -4. Streams in the state had the following average flows for February; the Pend Oreille River at 41%, Spokane River at 28%, Yakima River at 43% and the Wenatchee River at 42%. The Columbia River at Birchbank had the nearest to average flow with 82%, while the Chelan River was the lowest with 21% of normal

STREAMFLOW FORECASTS - MARCH 1985

THE FOLLOWING SUMMARIZED RUNOFF FORECASTS ARE BASED PRINCIPALLY ON MOUNTAIN SNOW COVER AND ON THE ASSUMPTION THAT PRECIPITATION AND TEMPERATURE WILL BE NEAR AVERAGE FROM THE PRESENT TIME TO THE END OF THE FORECAST PERIOD. APPRECIABLE DEVIATIONS FROM NORMAL TEMPERATURE AND/OR PRECIPITATION WILL CORRESPONDINGLY MODIFY THESE FORECASTS. THESE FORECASTS ARE MADE AS A PRODUCT OF THE COOPERATIVE EFFORTS OF THE SOIL CONSERVATION SERVICE AND THE NATIONAL WEATHER SERVICE. STREAMFLOW FIGURES FOR 1982-1984 ARE PRELIMINARY AND SUBJECT TO REVISION.

SEASONAL STREAMFLOW IN THOUSANDS OF ACRE-FEET							
BASIN, STREAM AND STATION	FORECAST RUNOFF 1985	% 20-YR. AVG.	FORE- CAST PERIOD	1984	1983	1982	20-YR AVERAGE 61-80

COLUMBIA RIVER SYSTEM	/1/						
COLUMBIA RIVER	42000	94	APR-SEPT	39200	43225	48575	44605
AT BIRCHBANK	33600	94	APR-JULY	30400	34569	38210	35705
	24465	94	APR-JUNE	20700	24281	27454	26027
COLUMBIA RIVER	63400	95	APR-SEPT	62500	46662	56425	66841
AT GRAND COULEE	53500	95	APR-JULY	51900	34933	43821	56169
	41800	95	APR-JUNE	39400	65970	32610	44036
COLUMBIA RIVER	70000	96	APR-SEPT	66300	44560	79386	72781
BL ROCK ISLAND	59500	97	APR-JULY	55600	58672	66629	61601
	47000	97	APR-JUNE	42200	69844	49348	48384
COLUMBIA RIVER	102000	101	APR-SEPT	107700	103682	118503	101000
AT THE DALLES	88000	102	APR-JULY	92700	88273	101631	86500
	71500	102	APR-JUNE	74600	70038	80122	70100
PEND OREILLE RIVER SYSTEM							
PEND OREILLE	15000	97	APR-SEPT	12980	12841	17721	15425
BL. BOX CANYON	13800	97	APR-JULY	11780	11482	16324	14156
	11900	97	APR-JUNE	9895	9226	13306	12227
KETTLE RIVER SYSTEM							
KETTLE RIVER	1750	96	APR-SEPT	2438	2709	2330	1829
NR LAURIER	1660	96	APR-JULY	2327	2534	2174	1738
	1520	96	APR-JUNE	2004	2251	1747	1581
COLVILLE RIVER	126	94	APR-SEPT	243	182	160	134
AT KETTLE FALLS	116	94	APR-JULY	221	161	161	123
	107	94	APR-JUNE	197	144	132	114

/1/ OBSERVER FLOW CORRECTED FOR STORAGE IN ANY OF THE FOLLOWING RESERVOIRS WHICH ARE ABOVE THE STATION: KOOTENAY LAKE, HUNGRY HORSE, FLATHEAD LAKE, PEND OREILLE LAKE, F.D. ROOSEVELT LAKE, LAKE CHELAN, COEUR D'ALENE LAKE, BROWNLEE, NOXON RESERVOIR AND PUMPAGE AT F. D. ROOSEVELT LAKE.

SEASONAL STREAMFLOW IN THOUSANDS OF ACRE-FEET							
BASIN, STREAM AND STATION	FORECAST RUNOFF 1985	% 20-YR. AVG.	FORE- CAST PERIOD	1984	1983	1982	20-YR AVERAGE 61-80

SPOKANE RIVER SYSTEM							
SPOKANE RIVER	3290	115	APR-SEPT	2808	2243	2238	2848
AT POST FALLS/2/	3175	115	APR-JULY	2647	2067	2145	2754
OKANOGAN RIVER SYSTEM							
SIMILKAMEEN R.	1477	101	APR-SEPT	1214	1490	1638	1462
NR NIGHTHAWK	1379	101	APR-JULY	1116	1356	1491	1365
	1173	101	APR-JUNE	894	1155	1166	1161
OKANOGAN RIVER	1693	103	APR-SEPT	1688	2170	2046	1644
NR TONASKET	1541	103	APR-JULY	1492	1891	1712	1497
	1300	103	APR-JUNE	1179	1569	1306	1262
METHOW RIVER SYSTEM							
METHOW RIVER	1000	102	APR-SEPT	976	1354	1203	980
NR PATEROS	926	102	APR-JULY	886	1243	1120	908
	788	102	APR-JUNE	722	1094	918	773
CHELAN RIVER SYSTEM							
CHELAN RIVER	1154	96	APR-SEPT	1079	1261	1376	1203
AT CHELAN /3/	1012	96	APR-JULY	946	1104	1223	1055
	793	96	APR-JUNE	688	901	958	826
STEHEKIN RIVER	843	98	APR-SEPT	736		938	860
AT STEHEKIN	712	98	APR-JULY	608	727	800	727
	542	98	APR-JUNE	411	572	603	553
ENTIAT RIVER	235	100	APR-SEPT	231	292	282	235
NR ARDENVOIR	210	100	APR-JULY	207	263	258	213
	170	100	APR-JUN	152	221	206	172
WENATCHEE RIVER SYSTEM							
WENATCHEE RIVER	1220	96	APR-SEPT		GAGE ABANDONED		1270
NR PLAIN	1090	96	APR-JULY				1136
	860	96	APR-JUNE				899
WENATCHEE RIVER	1680	98	APR-SEPT	1541	1590	2013	1712
AT PESHASTIN	1515	98	APR-JULY	1385	1432	1791	1545
	1212	98	APR-JUNE	1022	1191	1429	1237
STEMILT BASIN	*130	94	MAY-SEPT				**138
NR WENATCHEE							
ICICLE CREEK	340	92	APR-SEPT		GAGE ABANDONED		**370
NR LEAVENWORTH	313	92	APR-JULY				**340
	250	93	APR-JUNE				**270

- * THOUSANDS OF MINERS' INCHES.
 ** AVERAGE COMPUTED FOR 1963-1977.
 /2/ FORECASTS MADE BY JERRY BEARD, SOIL CONSERVATION SERVICE, BOISE,
 IDAHO. OBSERVED FLOW CORRECTED FOR STORAGE IN COEUR D'ALENE LAKE.
 /3/ OBSERVED FLOW CORRECTED FOR STORAGE IN LAKE CHELAN.

SEASONAL STREAMFLOW IN THOUSANDS OF ACRE-FEET							
BASIN, STREAM AND STATION	FORECAST RUNOFF 1985	% 20-YR. AVG.	FORE- CAST PERIOD	1984	1983	1982	20-YR AVERAGE 61-80

YAKIMA RIVER SYSTEM							
YAKIMA RIVER	133	96	APR-SEPT	133	109	152	139
NR MARTIN /4/	123	96	APR-JULY	123	96	138	128
	107	96	APR-JUNE	107	81	121	111
YAKIMA RIVER	905	96	APR-SEPT	917	733	1100	943
AT CLE ELUM /5/	820	96	APR-JULY	825	659	1010	854
	705	96	APR-JUNE	678	589	883	734
YAKIMA RIVER	1970	94	APR-SEPT	2069	2221	2434	2096
NR PARKER /6/	1784	94	APR-JULY	1779	1958	2193	1898
	1567	94	APR-JUNE	1491	1722	1909	1667
KACHESS RIVER	117	97	APR-SEPT	119	105	134	121
NR EASTON /7/	112	97	APR-JULY	108	96	126	115
	98	97	APR-JUNE	91	84	110	101
CLE ELUM RIVER	444	96	APR-SEPT	442	421	516	463
NR ROSLYN /8/	405	96	APR-JULY	397	381	468	422
	340	96	APR-JUNE	310	324	392	353
BUMPING RIVER	138	97	APR-SEPT	137	137	161	142
NR NILE /9/	125	97	APR-JULY	127	128	147	129
	104	97	APR-JUNE	102	109	123	107
AMERICAN RIVER	120	97	APR-SEPT	114	157	140	124
NR NILE	110	97	APR-JULY	104	144	130	113
	91	97	APR-JUNE	81	120	109	94
TIETON RIVER/10/	234	95	APR-SEPT	245			246
AT TIETON DAM	197	95	APR-JULY	198			207
	157	95	APR-JUNE	149			165
NACHES RIVER	832	96	APR-SEPT	812	966	998	867
NR NACHES /11/	753	96	APR-JULY	732	881	945	784
	640	96	APR-JUNE	601	770	775	667
AHTANUM CREEK	45	96	APR-SEPT				47
NR TAMPICO /12/	41	96	APR-JULY				43
	36	97	APR-JUNE				37

-
- /4/ OBSERVED FLOW CORRECTED FOR STORAGE IN LAKE KEECHELUS.
- /5/ OBSERVED FLOW CORRECTED FOR STORAGE IN KEECHELUS, KACHESS, AND CLE ELUM LAKES AND DIVERSION BY KITTITAS CANAL.
- /6/ OBSERVED FLOW CORRECTED FOR STORAGE IN KEECHELUS, KACHESS, CLE ELUM, BUMPING, AND RIMROCK LAKES AND DIVERSIONS BY ROSA, UNION GAP, NEW RESERVATION, OLD RESERVATION AND SUNNYSIDE CANALS.
- /7/ OBSERVED FLOW CORRECTED FOR STORAGE IN LAKE KACHESS.
- /8/ OBSERVED FLOW CORRECTED FOR STORAGE IN LAKE CLE ELUM.
- /9/ OBSERVED FLOW CORRECTED FOR STORAGE IN BUMPING LAKE.
- /10/ OBSERVED FLOW CORRECTED FOR STORAGE IN RIMROCK LAKE.
- /11/ OBSERVED FLOW CORRECTED FOR STORAGE IN BUMPING AND RIMROCK LAKES AND DIVERSIONS BY TIETON, SELAH VALLEY, WAPATOX CANALS AND CITY OF YAKIMA.
- /12/ OBSERVED FLOW OF NORTH AND SOUTH FORKS (COMBINED).

SEASONAL STREAMFLOW IN THOUSANDS OF ACRE-FEET							
BASIN, STREAM AND STATION	FORECAST RUNOFF 1985	% 20-YR. AVG.	FORE- CAST PERIOD	1984	1983	1982	20-YR AVERAGE 61-80

LOWER COLUMBIA RIVER SYSTEM							
MILL CREEK	18.7	107	APR-SEPT	23.46	13.48	24.62	**17.50
AT WALLA WALLA	18.4	106	APR-JULY	23.08	13.39	24.48	**17.33
	18.1	106	APR-JUNE	22.24	13.36	21.63	**17.15
LEWIS RIVER	1320	106	APR-SEPT	1284	1255	1170	1249
AT ARIEL /13/	1150	106	APR-JULY	1141	1046	1030	1086
	1019	106	APR-JUNE	1012	821	927	961
COWLITZ RIVER	2100	103	APR-SEPT	2080	1935	4936	2038
BL MAYFIELD DAM	1830	103	APR-JULY	1860	1754	1963	1778
/14/	1550	103	APR-JUNE	1570	1424	1722	1502
COWLITZ RIVER	2700	101	APR-SEPT	3770	2618	2655	2673
AT CASTLE ROCK	2346	101	APR-JULY	3370	2195	2363	2323
/14/	2000	101	APR-JUNE	2860	1739	2080	1980
OLYMPIC PENINSULA							
DUNGENESS RIVER SYSTEM							
DUNGENESS RIVER	149	93	APR-SEPT		197	196	160
NR SEQUIM	121	93	APR-JULY		158	163	130
	90	93	APR-JUNE		117	117	97
ELWHA RIVER SYSTEM							
ELWHA RIVER	520	94	APR-SEPT	469	538	607	**553
NR PORT ANGELES	430	95	APR-JULY	383	448	512	**454
PUGET SOUND							
SKAGIT RIVER SYSTEM							
SKAGIT RIVER	2400	95	FEB-AUG	1556	1995	2248	**2532
AT NEWHALEM /15/	2285	97	APR-SEPT	1378	1531	1880	**2356
	1910	97	APR-JULY	997	1061	1439	**1972
	1440	97	APR-JUNE	621	698	1004	**1485
GREEN RIVER SYSTEM							
GREEN RIVER BL	335	106	APR-SEPT	275	190	227	**316
HOWARD HANSEN DAM	300	106	APR-JULY	243	145	195	**284
/16/	270	105	APR-JUNE	217	107	174	**256
CEDAR RIVER SYSTEM							
CEDAR RIVER	95	102	APR-SEPT	86	66	80	**93
NR CEDAR FALLS							

/13/	OBSERVED FLOW CORRECTED FOR STORAGE IN LAKE MERWIN, YALE AND SWIFT RESERVOIRS.						
/14/	OBSERVED FLOW CORRECTED FOR STORAGE IN RIFFE LAKE AND MAYFIELD RESERVOIR.						
/15/	OBSERVED FLOW CORRECTED FOR STORAGE IN DIABLO, ROSS AND GORGE RESERVOIRS.						
/16/	OBSERVED FLOW CORRECTED FOR STORAGE IN HOWARD HANSON DAM.						

COMPARISON OF SNOW COVER WITH THAT OF PREVIOUS YEARS

The following tabulation of washington stream basins presents the water content of the snow about March 1, 1985, as percent of the same date in 1984 and 1983 and average of record.

Tributary Basin	No. of Courses	1985 Snow Water Expressed as percent of	
		1984	Average 1961-80
<u>UPPER COLUMBIA BASIN</u>			
Pend Oreille	11	132	106
Kettle	10	86	82
Colville	3	115	100
Spokane	7	153	109
Okanogan	30	116	89
Methow	6	102	86
Chelan	5	97	87
Entiat	9	59	64
Wenatchee	9	94	95
Yakima	14	96	83
Ahtanum	2	86	76
<u>LOWER COLUMBIA BASIN</u>			
Mill Creek	1	130	130
Cowlitz	2	119	101
<u>PUGET SOUND</u>			
White	2	73	69
Green	10	198	130
Snoqualmie	2	148	93
Skykomish	4	136	100
Skagit	17	127	86
Baker	9	128	98
<u>OLYMPIC PENNINSULA</u>			
Morse	1	128	101
Elwha	1	144	92
Dungeness	1	169	107

RESERVOIR STORAGE - 1000 Acre Feet

BASIN OR STREAM	RESERVOIR	USABLE 1/ CAPACITY	1985	Measured (March)		
				1984	1983	Normal*
<u>COLUMBIA</u>						
Spokane	Coeur d'Alene Lake	225.1	19.8	106.5	222.2	121.6
Columbia	Franklin D. Roosevelt Lake	5232.0	2694.0	4497.6	4470.7	2681.2
Columbia	Banks Lake	714.9	674.8	902.6	712.2	621.3
Okanogan	Conconully Reservoir	13.0	12.4	13.0	13.0	6.7
Okanogan	Conconully Lake	10.5	10.2	10.4	10.4	7.5
Chelan	Lake Chelan	676.1	159.9	340.8	233.3	235.5
<u>YAKIMA</u>						
Yakima	Keechelus Lake	157.8	83.5	133.5	100.3	105.4
Kachess	Kachess Lake	239.0	154.4	202.1	207.2	183.0
Cle Elum	Lake Cle Elum	436.9	179.1	322.0	309.6	280.2
Bumping	Bumping Lake	33.7	3.8	13.7	6.8	8.7
Tieton	Rimrock Lake	198.0	84.2	150.8	135.0	125.3
<u>PUGET SOUND</u>						
Skagit	Ross Reservoir	1404.1	684.3	1062.2	856.2	894.0
Skagit	Diablo Reservoir	90.6	85.0	38.1	89.0	85.2
Skagit	Gorge Reservoir	9.8	7.9	7.8	8.4	8.1

^{1/} Based on Active Storage
* 15-yr. Average 1963-1977

PRECIPITATION 1/

Division Average Observations and Departures

Drainage Divisions	Fall		Winter	
	Sept-Oct Observed	1984 <u>2/</u> Departures	Nov. 1984 - Observed	Mar. 1985 <u>2/</u> Departures
Northeastern Wash	1.83	-0.65	9.11	-0.04
Southeastern Wash	2.22	-0.29	9.50	-0.39
East Slope Cascade	3.24	-1.51	20.36	-6.50
North Central Wash	1.54	-0.05	5.81	-0.55
Northwest Cascade	11.98	-1.23	42.28	-12.01
Southwest Cascade	8.89	-4.59	30.20	-9.41

Northeastern Washington	- Lower Spokane, Colville, Sanpoil, and Lower Kettle Drainages.
Southeastern Washington	- Touchet, Tucannon, and Palouse Drainages
East Slope Cascades	- Yakima, Wenatchee, and Chelan Drainages
North Central Washington	- Methow and Okanogan Drainages
Northwest Slope Cascades	- Puget Sound Drainages
Southwest Slope Cascades	- Lower Columbia Drainages







1/ - Preliminary analysis by National Weather Service from data furnished by Meteorological Services of Canada and the National Weather Service

2/ - Departure from 15-year (1958-1972) drainage division average

WASHINGTON SNOW COVER

1985

DRAINAGE AREAS









Average —
1985 - - -

Selected Snow Survey Courses by Soil Conservation Service

WASHINGTON VALLEY PRECIPITATION

1985

DRAINAGE AREAS



Average —

1985 - - -

Preliminary Analysis by National Weather Service

NOTE: Precipitation to beginning of the month.

SNOW DATA TO MARCH 1, 1985 - APPENDIX 1

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Number	Elevation				Last Year	Average *

UPPER COLUMBIA DRAINAGEPEND OREILLE RIVER

Benton Meadow	16A02	2344	2/27	30	10.1	5.0	6.3
Benton Spring	16A03	4900	2/27	60	20.3	18.5	17.3
Boyer Mtn	17A02	5250	3/04	66	23.3	20.9	22.6
Bunchgrass Meadow	17A01	5000	3/05	73	23.9		10.0
Chewelah	17A04	4925	3/01	51	14.7	13.4	17.2
Hoodoo Basin	15C10	6000	3/01	117	48.2	33.2	44.6
Hoodoo Creek	15C01	5900	3/01	108	42.1	30.0	41.8
Lookout	15B02	5250	2/25	98	34.5	19.2	30.4
Nelson	2D04CA	3050	2/28	48	15.7	10.2	14.5
Schweitzer Bowl	16A06	4500	3/01	72	26.5	19.5	27.4
Schweitzer Ridge	16A05	6100	3/01	102	39.8	34.6	40.2

KETTLE RIVER

Barnes Creek	2B06CA	5300	2/25	58	16.8	16.0	17.5
Big White Mtn.	2E03CA	5500	3/02	50	14.5	15.4	17.0
Butte Creek	18A03	4070	2/27	29	7.1	10.6	8.6
Carmi	2E02CA	4100	3/03	18	3.8	5.5	6.2
Farron #1	2B02CA	4000	2/28	38	12.2		12.4
Farron #2	2B02ACA	4000	Not Measured				
Goat Creek	18A04	3595	2/27	23	4.3	8.1	6.6
Monashee Pass	2E01CA	4500	2/25	42	11.0	10.7	12.4
Summit G.S.	18A05	2150	2/27	27	6.7	9.5	7.3
Trapping Creek Lower	2E05CA	3050	3/03	14	3.4	5.0	5.4
Trapping Creek Upper	2E04CA	4450	3/02	30	6.2	7.2	9.3

COLVILLE RIVER

Baird	17A06	3215	2/24	36	8.9	9.0	7.0
Chewelah	17A04	4925	2/24	51	14.7	13.4	17.2
Togo	18A10	3370	2/24	40	10.7	7.5	10.2

OMAK LAKE, TWIN LAKES

Mission	19A11	1150	2/26	22	5.5		
Twin Lake	18A11	2700	2/27	40	7.8		
Mount Tolman	18A12	2000	2/15	19	4.4		

Average based on 1961-1980 averages
sp SNOTEL data

SNOW DATA TO MARCH 1, 1985 - APPENDIX 2

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average #

SPOKANE RIVER

Above Burke	15B08	4100	2/25	72	23.9	12.0	19.8
4th of July Summit	16B03	3100	2/27	47	14.9	8.6	8.5
Lookout	15B02	5250	2/25	98	28.0	19.2	30.4
Lost lake	15B14A	6000	2/26	136	50.0	32.4	48.5
Mosquito Ridge	16A04	5110	2/27	94	36.2	22.4	34.1
Sherwin	16C01	3200	3/01	46	14.2	11.8	13.0
Sunset	15B09A	5600	2/26	76	26.4	24.6	28.6

NEWMAN LAKE

Ragged Ridge	17B02	3333	2/28	41	14.0	2.8	New
--------------	-------	------	------	----	------	-----	-----

OKANOGAN RIVER

Aberdeen Lake	1F01CA	4300	2/27	22	5.1	5.2	6.0
Blackwall Peak	2G03CA	6250	3/01	76	26.1	20.7	30.7
Brenda Mine	2F18CA	4800	2/28	39	11.6E	10.9	11.9
Brookmere	1C01CA	3200	2/28	34	8.1	4.9	8.9
Enderby	1F04CA	6250	2/26	68	25.9	26.4	25.2
Esperon Creek Lower	2F15CA	4400	Not Measured				
Esperon Creek Middle	2F15CA	4700	"	"			
Esperon Creek Upper	2F13CA	5400	"	"			
Grayback Reservoir	2F08CA	5225	2/27	28	6.8	7.8	7.9
Hamilton Hill	2G06CA	4900	2/28	39	12.6	7.1	14.6
Harts Pass	20A05A	6500	2/27	89	31.2	29.1	38.8
Isintok Lake	2F11CA	6300	2/24	21	5.5	3.9	7.3
Lost Horse Mountain	2G04CA	7000	2/28	33	7.9	4.3	8.3
McCulloch	2F03CA	4200	2/28	24	6.0	5.2	6.6
Missezula Mtn.	2G05CA	5100	2/26	35	9.4	4.7	9.3
Mission Creek	2F05CA	6000	2/27	51	15.7	16.5	17.4
Monashee Pass	2E01CA	4500	2/25	42	11.0	10.7	12.4
Mount Kobau	2F12CA	5960	2/28	36	10.0	11.0	10.1

Average based on 1961-1980 averages
s SNOTEL data

SNOW DATA TO MARCH 1, 1985 - APPENDIX 3

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average *

OKANOGAN RIVER (CONT.)

Mutton Creek No. 1	19A01	5700	2/25	35	10.1	11.0	11.8
Mutton Creek No.2 SP	19A11	6000	Not Measured				New
Nickel Plate	2G02CAN	6200	2/26	29	7.8	3.9	7.8
Oyama Lake	2F19CAN	4400	2/27	25	6.5	5.2	6.6
Postill Lake	2F07CAN	4500	2/28	28	6.2	6.3	7.6
Rusty Creek	19A03	4000	2/28	23	4.1	7.0	6.6
Salmon Meadows	19A02	4500	2/28	28	6.5	9.6	9.3
Silver Star Mountain	2F10CAN	6050	2/24	71	23.9	21.7	24.4
Summerland Reservoir	2F02CAN	4200	2/24	29	8.7	7.1	9.0
Sunday Summit	2G01CAN	4300	2/27	22	6.3	2.4	5.8
Trout Creek	2F01CAN	4700	2/26	29	7.1	4.0	7.0
Vaseux Creek	2F20CAN	4600	2/26	24	5.4	8.3	6.2
White Rocks Mountain	2F09CAN	6000	Not Measured			20.7	20.2

METHOW RIVER

Harts Pass	20A05A	6500	2/27	89	31.2	29.1	38.8
Mutton Creek No. 1	19A01	5700	2/25	35	10.1	12.0	11.8
Mutton Creek No. 2 SP	19A11	6000	Not Measured				12.4
Rusty Creek	19A03	4000	2/28	23	4.1	7.0	6.6
Salmon Meadows	19A02	4500	2/28	28	6.5	9.3	9.3

CHELAN LAKE BASIN

Cloudy Pass +	20A22	6500	2/25	20	7.1		35.2
Little Meadows +	20A24a	5275	2/22	105	34.6		37.5
Lyman Lake	20A23	5900	2/25	116	40.0	46.2	47.5
Mirror Lake	30A39	5600	2/25	66	23.2	24.8	20.0
Park Creek Ridge	20A12	4600	2/25	97	37.0	33.8	43.1
Rainy Pass	20A09	4780	2/27	83	28.8	14.6	35.7

Average based on 1961-1980 averages

+ Aerial stadia observation

sp SNOTEL data

SNOW DATA TO MARCH 1, 1985 - APPENDIX 4

SNOW

DRAINAGE BASIN and/or SNOW COURSE			THIS YEAR			PAST RECORD	
			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average *

ENTIAT RIVER

Brief	20B19	1600	2/28	19	4.9	5.8	7.6
Entiat Meadows +	20A33	4540	2/26	74	27.4	32.6	57.7
Entiat River Trail +	20A34	3325	2/26	39	12.5	14.4	22.1
Fox Camp +	20A36	6510	2/26	93	35.3	41.0	52.3
Pope Ridge	20B20	3450	2/27	46	14.7	15.8	18.2
Pugh Ridge +	20A32	6725	2/26	49	16.7	23.4	32.9
Shady Pass	20A37	6200	2/27	55	18.9	21.4	24.1
Snow Brushy +	20A35	3910	2/26	87	31.3	29.8	35.3
Tommy Creek +	20B21	4900	2/26	47	14.6	13.6	25.7

WENATCHEE RIVER

Berne Mill Creek	21B23	3170	2/28	70	25.0	18.2	25.5
Berne Mill Creek SP	21B41	3240	2/28	66	22.8	13.8	23.9
Blewett Pass No. 2	20B02	4270	2/26	48	16.3	11.7	14.9
Chiwaukum G. S.	20B16	1810	2/28	28	9.0	8.9	13.0
Lake Wenatchee	20B05	1970	Watershed Logged Discontinued				
Lyman Lake	20A23	5900	2/25	116	40.0	46.2	47.5
Merritt	20B18	2140	2/28	37	14.7	6.4	15.8
Stevens Pass	21B01	4070	2/28	83	32.8	23.1	34.0
Stevens Pass Sand Shed	21B45	3700	2/28	83	32.8	23.1	34.0

COLOCKUM CREEK

Trough #2(SP)	20B25	5310	3/01		8.1sp	4.1	9.5
---------------	-------	------	------	--	-------	-----	-----

+ Aerial stadia observation

Average based on 1961-1980 averages

sp SNOTEL data

SNOW DATA TO MARCH 1 , 1985 - APPENDIX 5

SNOW

DRAINAGE BASIN and/or SNOW COURSE			THIS YEAR			PAST RECORD	
			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average ⁷

SQUILCHUCK CREEK

Beehive Springs	20B03	4400	3/01	22	6.4	6.1	8.3
Scout-a-Vista	20B04	3400	Not Measured				

STEMILT CREEK

Stimelt Slide	20B06	5000	3/01	36	10.9		13.4
Upper Wheeler	20B07	4400	3/01	24	6.9	11.0	9.9

YAKIMA RIVER

Ahtanum R.S.	21C11	3100	2/25	23	6.7	7.2	6.9
Big Boulder Creek	21B09	3200	2/26	55	18.0	13.0	18.5
Blewet Pass No. 2	20B02	4270	2/26	41	14.3	11.7	14.9
Bumping Lake Old	21C08	3450	2/22	50	14.0	11.4	18.5
Bumping Lake New	21C36	3400	2/22	57	18.0	13.7	19.5
Cayuse Pass	21C06	5300	2/26	138	57.9		56.3
Colockum Pass	20B09	5370	2/28	43	13.5	16.7	15.0
Corral Pass	21B13	6000	Not Measured			31.2	34.0
Fish Lake	21B04	3371	2/26	75	28.0	25.0	29.8
Green Lake	21C10	6000	2/25	74	31.7	25.6	29.8
Grouse Camp	20B11	5385	2/26	44	14.0	16.4	15.9
Lake Cle Elum	21B14	2200	2/25	26	8.6	3.4	8.4
Morse Lake	21C17	5400	3/03	82	32.1	46.7	46.0
Olallie Meadows	21B02	3625	2/28	100	42.0	25.9	41.5
Stampede Pass	21B10	3860	3/01	99	41.5sp	25.8	31.5
Tunnel Avenue	21B08	2450	2/25	54	18.0	12.8	20.9
White Pass E. Side	21C28	4500	2/23	65	21.0	20.5	23.1

⁷ Average based on 1961-1980 averages
sp SNOTEL Reading

SNOW DATA TO MARCH 1, 1985 - APPENDIX 6

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average

AHTANUM CREEK

Ahtanum R. S.	21C11	3100	2/25	23	6.7	7.2	6.9
Green Lake	21C10	6000	2/25	74	31.7	25.6	29.8

LOWER COLUMBIA DRAINAGEMILL CREEK

High Ridge SP	18D19	4890	2/28	76	28.8sp	0.0	
Touchet # 2 SP	17C55	5530	3/01	98	38.7sp		24.0

COWLITZ RIVER

Cayuse Pass	21C06	5300	2/26	115	42.4	58.9	69.1
White Pass E. Side	21C28	4500	2/23	65	21.0	20.5	23.1

PUGET SOUND DRAINAGEWHITE RIVER

Cayuse Pass	21C06	5300	2/26	115	42.4	58.9	69.1
Corral Pass	21B13	6000	Not Measured				
Morse Lake	21C17	5400	3/03	82	32.1	46.7	46.0

GREEN RIVER

Airstrip	21B24	1800	3/02	15	2.0	0.0	4.6
Charley Creek	21B25	1200	3/02	0	0.0	0.0	1.0
Cougar Mountain	21B42	3200	3/01		30.2E	12.2	19.5
Grass Mtn. No. 2	21B27	2900	3/02	48	14.7	5.3	16.9
Grass Mtn. No. 3	21B28	2100	3/02	28	8.8	0.0	4.8
Lester Creek	21B29	3100	3/02	66	21.6	10.0	20.6
Lynn Lake	21B50	4000	3/02	80	35.5	11.5	15.6
Sawmill Ridge	21B31	4700	3/02	95	39.0	20.8	31.9
Stampede Pass	21B10	3860	3/01	99	41.5	38.0	36.2
Twin Camp	21C30	4100	3/02	74	29.8	16.3	21.9

Average based on 1961-1980 averages

sp SNOTEL Reading

SNOW DATA TO MARCH 1, 1985 - APPENDIX 7

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average *

SNOQUALMIE RIVER

Olallie Meadows	21B02	3960	2/28	100	42.0	25.9	41.5
-----------------	-------	------	------	-----	------	------	------

SKYKOMISH RIVER

Stevens Pass	21B01	4070	2/28	112	44.5	29.8	46.7
--------------	-------	------	------	-----	------	------	------

Stevens Pass Sand Shed	21B45	3700	2/28	83	32.8	23.1	34.0
------------------------	-------	------	------	----	------	------	------

SKAGIT RIVER

Beaver Creek Trail	21A04	2200	2/27	38	11.5	6.0	13.5
Beaver Pass	21A01	3680	2/26	71	22.5	16.8	26.6
Brown Top Ridge	21A28	6000	2/26	130	49.0	44.4	56.1
Devils Park	20A04	5900	2/27	92	32.0	14.8	39.6
Freezeout Creek Trail	20A01	3500	2/26	42	12.5	6.6	11.8
Freezeout Meadow	20A38	5040	2/26	73	23.4	17.4	36.3
Granite Creek	21A29	3500	2/27	53	16.4	10.2	19.2
Harts Pass	20A05A	6500	2/27	89	31.2	29.1	38.8
Klesilkwa	3D03ACA	3710	2/25	37	12.8	3.9	12.4
Lightning Lake	3D02CAN	4000	2/27	38	10.2	7.1	9.9
Lyman Lake	20A23	5900	2/25	116	40.0	46.2	47.5
Meadows Cabin	20A08	1900	2/26	22	7.0	1.7	7.0
New Hozomeen Lake	21A30	2800	2/26	37	10.6	4.5	12.8
Rainy Pass	20A09	4780	2/27	83	28.8	24.6	35.7
Thunder Basin	20A07	4200	2/26	63	19.8	9.0	19.9

Average based on 1961-1980 averages
sp SNOTEL data

SNOW DATA TO MARCH 1, 1985 - APPENDIX 8

SNOW

DRAINAGE BASIN and/or SNOW COURSE			THIS YEAR			PAST RECORD	
			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average *

BAKER RIVER

Dock Butte +	20A11A	3800	2/27	141	59.0	51.0	59.9
Easy Pass +	21A07A	5200	2/27	173	70.0	54.0	79.5
Jasper Pass +	21A06A	5400	2/27	167	68.0	68.0	78.8
Martin Lake	21A09A	3600	2/27	172	72.0	56.0	67.1
Mt. Blum +	21A18A	5800	2/27	126	51.0	50.0	58.6
Rocky Creek	21A12A	2100	2/27	84	36.0	14.0	26.8
Schreibers Meadow	21A10A	3400	2/27	120	50.0	34.0	51.9
S.F. Thunder Creek +	21A14A	2200	2/27	29	13.0	2.0	9.4
Watson Lakes	21A08A	4500	2/27	139	58.0	45.0	55.9

OLYMPIC PENINSULA DRAINAGEDUNGENESS RIVER

Deer Park	23B04	5200	2/26	52	18.6	11.0	17.4
-----------	-------	------	------	----	------	------	------

MORSE CREEK

Cox Valley	23B14	4500	2/27	90	34.3	26.8	33.9
------------	-------	------	------	----	------	------	------

ELWHA RIVER

Hurricane	23B03	4500	2/24	53	17.3	12.0	18.9
-----------	-------	------	------	----	------	------	------

WYNOOCHEE RIVER

Carrol Pass	23B15	3650	2/28	74	28.0		
-------------	-------	------	------	----	------	--	--

+ Aerial stadia observation

Average based on 1961-1980 average

SNOTEL READINGS, MARCH 1, 1985 - APPENDIX 1

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average *

PEND OREILLE RIVER

Bunchgrass Meadows	17A01	5000	02/15		20.9	17.7	
	GT		03/05	76	25.5		
			02/28		22.0	21.0	23.1

OKANOGAN & METHOW RIVERS

Harts Pass	20A05	6500	02/15		31.9	25.5	
	GT		02/27	89	29.5		
			02/28		33.4	28.7	33.6
Salmon Meadows	19A02	4500	02/15		12.7	15.0	
			02/28		12.7	17.0	14.9

CHELAN LAKE BASIN

Lyman Lake	20A23	5900	02/15		41.1	47.2	
	GT		02/25	123	43.5		
			02/28		44.4	52.5	52.3
Mirror Lake	20A39	5600	02/15		21.8	23.0	
	GT		02/25	71	24.8		
			02/28		22.1	24.7	24.7
Park Creek Ridge	20A12	4600	02/15		33.1	27.5	
	GT		02/25	97	37.5		
			02/28		34.9	27.1	36.8
Rainy Pass	20A09	4780	02/15				
	GT		02/27	78	26.0		
			02/28		33.0	27.1	33.2

ENTIAT RIVER

Pope Ridge	20B20	3450	02/15		15.3	14.8	
	GT		02/27	42	14.5		
			02/28		15.4	16.3	16.6

WENATCHEE RIVER

Blewett Pass	20B02	4270	02/15		15.3	15.6	
	GT		01/28	36	11.4		
			02/28		16.2	17.4	18.0
Lyman Lake	20A23	5900	02/15		41.1	47.2	
	GT		02/25	123	43.5		
			02/28		44.4	52.5	52.3
Stevens Pass	21B01	4070	02/15		42.9	28.1	
	GT						
			02/28		46.3	31.7	23.6
Trough # 2	20B25	5300	02/15		8.2	2.3	
	GT		02/14	27	7.3		
			02/28		8.3	3.5	10.5

GT = Ground Truth measurement at SNOTEL site

SNOTEL READINGS, MARCH 1, 1985 - APPENDIX 2

SNOW

DRAINAGE BASIN and/or SNOW COURSE			THIS YEAR			PAST RECORD	
			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average \bar{x}

COLOCKUM CREEK

Trough # 2	20B25	5300	02/15		8.2	2.3	
	GT		02/14	27	7.3		
			02/28		8.3	3.5	10.5

STEMILT CREEK

Upper Wheeler	20B07	4400	02/15		9.9	10.2	
	GT		03/01	37	10.8		
			02/28		9.9	12.4	16.5

YAKIMA RIVER

Big Boulder Creek	21B09	3200	DISCONTINUED				
Bumping Ridge	21C38	4600	02/15		25.4	22.8	
	GT		02/22	78	27.0		
			02/28		26.8	24.8	13.7
Corral Pass	21B13	6000	02/15				
			02/28				20.8
Fish Lake	21B04	3371	02/15		28.1	22.7	
	GT		02/13	87	26.0		
	GT		02/26	75	28.0		
			02/28		31.0	25.1	17.9
Green Lake	21C10	6000	02/15		12.4	14.1	
	GT		02/12	56	16.5		
			02/28		12.0	16.2	22.1
Grouse Camp	20B11	5385	02/15		13.3.	14.8	
	GT		01/28	39	12.4		
			02/28		13.7	16.3	20.0
Morse Lake	21C17	5400	02/15		34.5	38.8	
			02/28		37.9	45.6	43.6
Sasse Ridge	21C40	4400	02/15				
	GT		02/13	89	24.0		
	GT		02/26	85	27.2		
			02/28		26.2		
White Pass E. Side	21C28	4500	02/15		21.3	18.2	
	GT		02/23	64		22.0	
			02/28		22.6	20.7	22.1

GT = Ground Truth measurement at SNOTEL site

SNOTEL READINGS, MARCH 1, 1985 - APPENDIX 3

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average

AHTANUM CREEK

Green Lake	21C10	6000	02/15		12.4	14.1	
	GT		02/12	56	16.5		
			02/28		12.0	16.2	22.1

TOUCHET RIVER

Touchet # 2	17C5	5530	02/15		41.3		
	GT		03/01	98	38.7		
			02/28		42.3	24.3	24.0

LEWIS RIVER

June Lake	22C09	3200	02/15		35.2		
	GT						
			02/28		36.1		
Lone Pine Shelter	21C26	3800	02/15		34.6	25.7	
	GT						
			02/28		35.9	29.6	36.9
Plains of Abraham	22C01	4400	02/15		67.2	51.6	
			02/28		72.4	62.9	61.7
Sheep Canyon	22C10	4050	02/15		45.8	22.1	
			02/23		47.3	29.4	15.7
Spencer Meadow	21C20	3400	02/15			15.8	
			02/28			17.6	23.0
Surprise Lake	21C13	4250	02/15			38.1	
	GT						
			02/28			43.9	37.8

COWLITZ RIVER

Pigtail Peak	21C33	5900	02/15		45.6	33.9	
	GT		02/28	109	43.0		
			02/28		41.4	36.9	36.5
Potato Hill	21C14	4500	02/15		30.0	15.8	
	GT		02/13	82	27.6		
			02/28		30.2	18.8	19.5
Sheep Canyon	22C10	4050	02/15		45.8	22.1	
			02/23		47.3	29.4	15.7
Strawberry Landing	22C08	3280	02/15		47.5		16.9
	GT						
			02/28		51.9		32.8
Steppes PC	22C11		12/5				
Spirit PC	22C12		5/15				
			5/30				

GT = Ground Truth measurement at SNOTEL sites

SNOTEL READINGS, MARCH 1, 1985 - APPENDIX 4

SNOW			THIS YEAR			PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE			Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (Inches)	
NAME	Number	Elevation				Last Year	Average *

NISQUALLY RIVER

Paradise Park	21C35	5500	02/15			44.8	
			02/28		63.2	33.0	32.8

WHITE RIVER

Corral Pass	21B13	6000	02/15				
	GT						
Morse Lake	21C17	5400	02/15		34.5	38.8	
	GT						
			02/28		37.9	45.6	43.6



GREEN RIVER



Cougar Mountain	21B42	3200	02/15			12.2	
	GT						
			02/28		26.1	14.6	14.3
Stampede Pass	21B10	3960	02/15		40.3	32.5	
	GT						
			03/01	99	41.5		
			02/28		40.0	36.4	35.1


SNOQUALMIE RIVER

Olallie Meadows East	21B55	3960	02/15		54.2	37.7	
			02/28		58.4	42.8	43.5


GT = Ground Truth measurements at SNOTEL sites







WSP-X13C



Agencies Assisting with Snow Surveys

GOVERNMENT AGENCIES

Canada:

Ministry of the Environment, Water
Investigations Branch, Victoria, British Columbia

States:

Washington State Department of Ecology
Washington State Department of Natural Resources

Federal:

Department of the Army
Corps of Engineers
U.S. Department of Agriculture
Forest Service
U.S. Department of Commerce
NOAA, National Weather Service
U.S. Department of the Interior
Bonneville Power Administration
Bureau of Reclamation
Geological Survey
National Park Service

PUBLIC AND PRIVATE UTILITIES

Chelan County P.U.D.
Pacific Power and Light Company
Puget Sound Power and Light Company
Washington Water Power Company

OTHER PUBLIC AGENCIES

Okanogan Irrigation District
Wenatchee Heights Irrigation District

MUNICIPALITIES

City of Tacoma
City of Seattle

Other organizations and individuals furnish valuable information for snow survey reports. Their cooperation is gratefully acknowledged.

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
ROOM 360, U.S. COURT HOUSE
SPOKANE, WASHINGTON 99201

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

THIRD-CLASS BULK RATE
POSTAGE AND FEES PAID
USDA - SCS
SPOKANE, WA
PERMIT NO G-267

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Furnishes the basic data
necessary for forecasting
water supply for irrigation,
domestic and municipal water
supply, hydro-electric power
generation, navigation,
mining and industry

*"The Conservation of Water begins
with the Snow Survey"*

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
CURRENT SERIAL RECORDS
BELTSVILLE MD 20705